

DPB-80 Automatic Capsule Tablet Blister Packing Machine Filling Machine



Features:

1. It adopts the newest type high-power transmission mechanism to arrange the chain and drive the main driving shaft. The errors and noises of other gear wheel transmission can be avoided.
2. It adopts photoelectrical controlling system to make PVC, PTP material to be automatically fed and waste side to be cut automatically to guarantee the Synchronous stability of over- length distance and multi stations.
3. It can be optional equipped with photocell correction device, imported stepper motor traction and image-character register to optimize packing grade.
4. The machine is suitable for industries of foodstuff, medicine, medical instruments, hardware, electronics and etc for packing.

Technical Parameters

Model	DPB-80
Punch frequency	10-25 times/min
Max. Forming area & Depth	105x70(standard depth ≤15mm)
Standard Stroke range	30-80mm(can be designed as per user's required)
Standard plate size	80x57mm (can be designed as per user's required)
Air pressure	0.4-0.6Mpa
Compressed air required	Air compressor≥0.3m3/min

Total power supply	220V 50Hz 2.4Kw
Main motor	0.75Kw
PVC hard Film	0.15-0.5*110 (mm)
PTP Aluminum film	0.02-0.035*110 (mm)
Dialysis Paper	50-100g*110 (mm)
Mould cooling	Tap water or Recycling water
Overall Dimension	1840x590x1100 (mm)(LxWxH)
Weight	Net 425kg Gross weight: 475kg
Noise index	<75dBA